

Message

From: Brent Ritchie [JRitchie@manniksmithgroup.com]
Sent: 12/26/2017 3:49:35 PM
To: Kimble, Jeffrey [kimble.jeffrey@epa.gov]
CC: Donnelly, Peggy [Donnelly.Peggy@epa.gov]
Subject: RE: Houses with High Samples

Yes, I received this and looked it over the other day. That sounds appropriate. Cordell and myself are the most experienced samplers with Cordell being the only team member who has conducted PFAS sampling previously. I was planning to split us up between the 2 teams and I am debating whether myself or Cordell will be on Team #2 since there is more of a chance for unknowns with that team. If you have any specific thoughts on the matter let me know, we can decide this afternoon when we meet up.

Additionally, in looking through the sample data from Wolverine that you sent last week I don't see any nomenclature that they are using to avoid PII. The field ID they utilize contains the street number and street name. The only other ID I found was the Lab ID (which is in 2 separate columns labeled as Sample ID and Lab ID) used internally by the lab. We will need to make a decision on how we want to label samples this afternoon. Just something to think about.

Thanks

Brent Ritchie, MS
 Senior Project Geologist
 The Mannik & Smith Group, Inc.

Ex. 6 - Personal Privacy

www.manniksmithgroup.com



From: Kimble, Jeffrey [mailto:kimble.jeffrey@epa.gov]
Sent: Tuesday, December 26, 2017 10:39 AM
To: Brent Ritchie
Cc: Donnelly, Peggy
Subject: FW: Houses with High Samples

Brent, wanted to make sure you got this list for Team #2 for tomorrow.

I think I will go with this team and let Peggy accompany team #1 as I may need to do some interface with these residents.

From: Mervenne, Chelsea
Sent: Saturday, December 23, 2017 12:57 PM
To: Kimble, Jeffrey <kimble.jeffrey@epa.gov>
Cc: Russell, Diane <russell.diane@epa.gov>
Subject: RE: Houses with High Samples

Hi Jeff,

I work with Diane Russell doing community involvement and I wanted to reach out to you about the Wolverine site. As it relates to the water sampling, I called to set up times for water testing on Wed. Dec. 27. I've attached a document with the names, addresses, and requested time slots. Diane mentioned you were interested in having community involvement support for the sampling – if this is still the case, I'm happy to help. Just let me know what the plan is, and I'll be there.

Just a heads up, one of the residents, Linda Reasen, told me she didn't receive her results from when Wolverine tested her water. Several of the people I spoke with expressed concern over the results letter that came back non detect but still advised the resident to refrain from using the water.

I'll tentatively plan on seeing you Wednesday.

Happy Holidays!

Chelsea Mervenne

Community Involvement Fellow
U.S. EPA Region 5 Superfund Division
(810) 434-5122

Community Information Office
1300 Bluff St., Suite 140
Flint, MI 48504

From: Russell, Diane
Sent: Friday, December 22, 2017 1:37 PM
To: Mervenne, Chelsea <mervenne.chelsea@epa.gov>
Subject: Fwd: Houses with High Samples

Diane Russell
U.S. EPA Region 5 Superfund
Community Involvement Coordinator
989-395-3493

Begin forwarded message:

From: "Kimble, Jeffrey" <kimble.jeffrey@epa.gov>
Date: December 22, 2017 at 8:43:24 AM EST
To: "Russell, Diane" <russell.diane@epa.gov>
Subject: FW: Houses with High Samples

Any of these on your list?

From: Wilson, Jennifer
Sent: Friday, December 22, 2017 2:56 AM
To: Kimble, Jeffrey <kimble.jeffrey@epa.gov>
Subject: RE: Houses with High Samples

Hi Jeff,

Please use the houses at the bottom of the attached spreadsheet highlighted in yellow. I don't know how many houses you need, but the houses are listed in order from maximum concentration to smallest concentration. These are the homes I found over 1000 ppt for PFOA or PFOS.

Have a good night,
Jenny

From: Kimble, Jeffrey
Sent: Thursday, December 21, 2017 8:56 PM
To: Wilson, Jennifer <wilson.jenniferA@epa.gov>
Subject: Re: Houses with High Samples

Don't stress, I appreciate what your doing!

Jeff Kimble, US EPA
Cell # (734) 740-9013

On Dec 21, 2017, at 7:09 PM, Wilson, Jennifer <wilson.jenniferA@epa.gov> wrote:

Hi Jeff,

I will e-mail you sites for sampling later tonight. The conceptual model didn't have addresses. I started putting them in a spreadsheet. It may be very late because I have plans tonight and I will do it when I get home.

Have a good night,
Jenny

Jennifer Wilson, P.E.
Ground Water and Drinking Water Branch
U.S. EPA Region 5
WG-15J
77 West Jackson Blvd.
Chicago, IL 60604

e-mail: wilson.jennifera@epa.gov
Phone: (312)353-3115
Fax: (312)697-2751

CONFIDENTIALITY NOTICE

The information contained in this communication and its attachment(s) is intended only for the use of the individual to whom it is addressed and may contain information that is privileged, confidential or exempt from disclosure. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is prohibited. If you have received this communication in error, please notify postmaster@manniksmithgroup.com and delete the communication without retaining any copies. Thank you.